

**Aquifer 360 EXP Flight Ready - Reliable, High-Output Watermaker**



**PRODUCT SPECS**

Article Number	AF-360-EX-FL
Salt Rejection	99.5%
Technology	High energy-efficient Reverse-Osmosis (RO)
Production per Day	136 lpd (360 gpd)
Production per Hour	56 lph (15 gph)
Recovery Rate	10%
Feed Water Source	Fresh, brackish, seawater
Voltage Options	24v DC
Power	220 Wh
Watt per liter	4.5
Water Temperature Limits	Max 43°C (110°F) / Min 2°C (36°F)
Weight	44 kg (96 lbs)
Case Dimensions	2 cases - 79 cm x 52 cm x 40 cm (31" x 20.5" x 15.5")

**FEATURES**

- Combine with an Aquifer Solar Power Pack (KIT-AF-FLRPS3P24) to create a self-contained system.
- Dual Shurflo submersible feed pumps for reliability, capable of pumping feed water 25' straight up, a 40% increase over the standard Aquifer feed pump
- Simple analog controls and gauges, no electronics
- Super efficient, requiring as little as 220 watts to purify seawater
- Fixed freshwater recovery ratio for easy operation, optimized for long RO membrane life
- Perfectly pairs with wind, solar or battery power due to high energy efficiency and 24V DC power usage
- Heavy duty, military grade, shock and impact resistant plastic roller cases
- Composite construction for superb corrosion resistance
- Membranes are protected from overpressure and scaling by design and can last 8-10 years or more with proper maintenance
- Spectra's renowned customer service and support with technicians available by Skype, phone and e-mail in North America and Europe

**Aquifer 360 EXP Flight Ready - Reliable, High-Output Watermaker**



1	Clark Pump Energy Recovery Device
2	Reverse Osmosis Membranes
3	Salinity Monitor
4	Prefilter Assembly
5	Optional AC Power Supply
6	Mil-Spec Plastic Case
7	Flow and Pressure Gauges
8	Submersible Feed Pumps (2)
9	Water Bags (2)

**SYSTEM SHIPPING LIST**

<b>System</b>
AF-360-EX-FL
<b>Included Components</b>
Clark Pump pressure intensifier, 10% recovery rate
Spectra 1000 psi composite pressure vessel with seawater RO membrane
Dual Submersible Shurflo Feed Pumps
2.5" X10" 5 micron pre-filter (1)
Analog gauges and controls
2 Mil-Spec plastic cases
Product, Feed and Brine hoses
<b>Installation Kit</b>
Filter Wrench
Hand-held TDS/Salinity Meter
User Manual



\*Room in pump case for 24 filters

**Aquifer 360 EXP Flight Ready - Reliable, High-Output Watermaker**

**SPARE PARTS AND CONSUMABLES**

Article Number	Product
<b>FT-FTC-5</b>	5 micron cartridge filters
<b>KIT-HP-S&amp;O</b>	Seal and O-ring kit for Clark Pump
<b>EL-FP-DP</b>	Diaphragm drive for feed pump
<b>KIT-HP-10UD</b>	Clark Pump rebuild kit
<b>KIT-CHEM-SC2</b>	Spectra alkaline membrane cleaner
<b>KIT-CHEM-SC3</b>	Spectra acid cleaner
<b>KIT-CHEM-SC1</b>	Spectra membrane preservative

**OPTIONAL COMPONENTS**

Article Number	Product	Description
<b>KIT-AF-FLRPS3P24</b>	3 Solar Panel Power Supply Case	Power supply case with options for 12/24v DC, 100-240 AC 50/60 Hz as well as included Solar Panels. Compatible with AF-360-EX-FL.
<b>KIT-HHM</b>	Hand-held conductivity tester with calibration solution	Extra handheld TDS meter.
<b>EL-SLT-INLPMNT2</b>	Inline Salinity Monitor	For digitally testing total dissolved solids (TDS) of product water, which is any salt, metal, or mineral in the water.
<b>KIT-AF-SPK</b>	Aquifer Support Kit 6ea, 5 Micron filters, 2 ea, chemicals for storage, alkaline and acid cleaning	A full complement of supplies for an Aquifer unit in the field. Recommended for Aquifer deployment.
<b>KIT-AF-UIPV24V3</b>	Universal voltage kit 100-240vac 50/60Hz	Adds AC power versatility to Aquifer units.

## Aquifer 360 EXP Flight Ready and Purification Systems

### AQUIFER SERIES

Article Number	Product	Product Information	Output
<b>AF-200-DC-12</b>	Aquifer 200 AFD 12 Volt	Highly portable 12 volt water purification/desalination system. External power required.	30l/h, 8gph
<b>AF-200-DC-24</b>	Aquifer 200 AFD 24 Volt	Highly portable 24 volt water purification/desalination system. External power required.	30l/h, 8gph
<b>AF-200-EX-FL</b>	Aquifer 200 EXP Flight Ready	External power required, compatible with optional Solar Power Pack (KIT-AF-FLRPS2P24). Flight Ready.	30l/h, 8gph
<b>AF-200-PPS</b>	Aquifer 200 Power Pack Solar	Includes Solar Panel. A self-sufficient offgrid water purification/desalination solution that fits in a single case.	30l/h, 8gph
<b>AF-360-DC-12</b>	Aquifer 360 AFD 12 Volt	Highly portable 12 volt water purification/desalination system. External power required.	55l/h, 15gph
<b>AF-360-DC-24</b>	Aquifer 360 AFD 24 Volt	Highly portable 24 volt water purification/desalination system. External power required.	55l/h, 15gph
<b>AF-360-EX-FL</b>	Aquifer 360 EXP Flight Ready	Portable with higher output. External power required, compatible with optional Solar Power Pack (KIT-AF-FLRPS3P24). Flight Ready.	55l/h, 15gph
<b>KIT-AF-FLRPS2P24</b>	2 Panel Power Supply Case	Power supply case with options for 12/24v DC, 100-240c AC 50/60 Hz as well as included Solar Panels. Compatible with AF-200-EX-FL.	n/a
<b>KIT-AF-FLRPS3P24</b>	3 Panel Power Supply Case	Power supply case with options for 12/24v DC, 100-240c AC 50/60 Hz as well as included Solar Panels. Compatible with AF-360-EX-FL.	n/a

#### Katadyn Desalination, LLC

2220 S. McDowell Blvd | Petaluma, CA 94954 | U.S.A.

Tel: +1 415 526 2780 | Fax: +1 415 526 2787

sales@spectrawatermakers.com | [www.spectrawatermakers.com](http://www.spectrawatermakers.com)

Spectra reserves the right to make changes to this fact sheet.